

# 1 FLOOR LAYOUT

SCALE: 1 : 100

" INDICATIVE PLAN ONLY "  
 (MAY REQUIRE FURTHER ENGINEERING)  
 SUBCONTRACTORS' RESPONSIBILITY FOR SITE MEASUREMENT

**LEGEND:**

- NEW EQUIPMENT
- EXISTING EQUIPMENT

REV.	DATE	COMMENTS
A1	Mar. 30, 2020	Issued for information and comments
A2	Apr. 07, 2020	Site measurement
A3	Apr. 08, 2020	Room markings
A4	Apr. 09, 2020	New hoods
A5	Apr. 15, 2020	Tables revisions
A6	May 05, 2020	Comparison against quotation as final revisions
A7	May 07, 2020	9 x 4-Burner with oven & salamander gas 600 mm wide
A8	May 07, 2020	Kitchen A
A9	May 13, 2020	Maintaining distance of minimum 1000 on access

THIS DRAWING MUST NOT BE SCALED  
 THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATA AND LEVEL PRIOR TO THE COMMENCEMENT OF WORK. ALL ERRORS AND OMISSIONS BETWEEN THE DRAWINGS AND SPECIFICATION ARE TO BE REPORTED IMMEDIATELY.



**FORTE THE HOSPITALITY BUILDERS**  
 ENDA HUGHES  
 0418 459646

PROJECT:	<b>9B CERTIFIED TRAINING KITCHEN</b>		DRAWING TITLE:	<b>FLOOR LAYOUT</b>	
Location:	19/30 Beaconsfield Street Alexandria NSW 2015		DRAWN:	L.	DATE: May 13, 2020
			SCALE:	As indicated (A3)	
	PROJECT NO. 01	DRAWING NO. 01	REV.:	A9	

### EQUIPMENT SCHEDULE

MARK	Description	Qty.	Model	Size (L x W x H) in mm	Electrical Amps	Kilowatts	AFFL mm	Hot Water	Cold Water	Drain	Gas Type	GAS mj	Notes
02	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
04	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
06	FREE STANDING GAS FRYER	1	G35C+S	385 X 769 X 900 / 1168			100				NATURAL	100	
08	FREE STANDING GAS FRYER	1	G35C+S	385 X 769 X 900 / 1168			100				NATURAL	100	
10	ELECTROMECHANICAL COMBI OVEN 7 X 1/1 GN TRAYS	1	LCDEA-107E	798 X 809 X 783	3 Ph + N	8.4	1400		Y	Y + Tundish			
12	COMBI STAND WITH SPLASH	1	B-WB850W	900 x 850 x 900 / 1050									
14	PURITY QUELL 1200ST COMBI FILTER	1	HE1200-PQ	288 Ø X 550 H					Y				
16	S/S TRAINERS BENCH ON CASTERS	1	B-DB7-1000	1000 X 700 X 900									
18	S/S DRY BENCH (CHEF BENCH) ON CASTERS	42	B-DB7-1000	1000 X 700 X 900									
20	600 WIDE GAS SALAMANDER	1	LUUS 5M-60	600 x 445 x 560			100				NATURAL	22	
22	SALAMANDER BENCH	1	B-SA8-900	900 x 800 x 900									
24	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
26	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
28	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
30	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
32	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
33	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
34	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
36	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
38	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
40	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
41	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
42	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
44	SALAMANDER BENCH	1	B-SA8-900	900 x 800 x 900									
46	600 WIDE GAS SALAMANDER	1	LUUS 5M-60	600 x 445 x 560			100				NATURAL	22	
48	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
49	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
50	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
52	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
54	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
55	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
56	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
58	FREE STANDING GAS FRYER	1	G35C+S	385 X 769 X 900 / 1168			100				NATURAL	100	
60	FREE STANDING GAS FRYER	1	G35C+S	385 X 769 X 900 / 1168			100				NATURAL	100	
62	SALAMANDER BENCH	1	B-SA8-900	900 x 800 x 900									
64	600 WIDE GAS SALAMANDER	1	LUUS 5M-60	600 x 445 x 560			100				NATURAL	22	
66	ELECTROMECHANICAL COMBI OVEN 7 X 1/1 GN TRAYS	1	LCDEA-107E	798 X 809 X 783	3 Ph + N	8.4	1400		Y	Y + Tundish			
68	COMBI STAND WITH SPLASH	1	B-WB850W	900 x 850 x 900 / 1050									
70	PURITY QUELL 1200ST COMBI FILTER	1	HE1200-PQ	288 Ø X 550 H					Y				
72	SALAMANDER BENCH	1	B-SA8-900	900 x 800 x 900									
74	600 WIDE GAS SALAMANDER	1	LUUS 5M-60	600 x 445 x 560			100				NATURAL	22	
76	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
78	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
79	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
80	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
81	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
82	S/S TRAINERS BENCH ON CASTERS	1	B-DB7-1200	1000 X 700 X 900									
84	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									

**" INDICATIVE PLAN ONLY "**  
**(MAY REQUIRE FURTHER ENGINEERING)**  
**SUBCONTRACTORS' RESPONSIBILITY FOR SITE MEASUREMENT**

AMENDMENTS		
REV.	DATE	COMMENTS
A1	Mar. 30, 2020	Issued for information and comments
A2	Apr. 07, 2020	Site measurement
A3	Apr. 08, 2020	Room markings
A4	Apr. 09, 2020	New hoods
A5	Apr. 15, 2020	Tables revisions
A6	May 05, 2020	Comparison against quotation as final revisions
A7	May 07, 2020	9 x 4-Burner with oven & salamander gas 600 mm wide
A8	May 07, 2020	Kitchen A
A9	May 13, 2020	Maintaining distance of minimum 1000 on access

**THIS DRAWING MUST NOT BE SCALED**  
 THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATA AND LEVEL PRIOR TO THE COMMENCEMENT OF WORK. ALL ERRORS AND OMISSIONS BETWEEN THE DRAWINGS AND SPECIFICATION ARE TO BE REPORTED IMMEDIATELY.



**FORTE THE HOSPITALITY BUILDERS**  
 ENDA HUGHES  
 0418 459646

PROJECT:		DRAWING TITLE:	
<b>9B CERTIFIED TRAINING KITCHEN</b>		<b>EQUIPMENT SCHEDULE</b>	
Location: 19/30 Beaconsfield Street Alexandria NSW 2015			
DRAWN	L.	DATE	May 13, 2020
PROJECT NO.	01	DRAWING NO.	02
SCALE	(A3)	REV.	A9

**EQUIPMENT SCHEDULE (CONTINUATION)**

MARK	Description	Qty.	Model	Size (L x W x H) in mm	Electrical Amps	Kilowatts	AFFL mm	Hot Water	Cold Water	Drain	Gas Type	GAS mj	Notes
86	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
88	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
90	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
92	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
94	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
96	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
98	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-650	650 x 2100									
100	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
102	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
104	1-TIER POTRACK SHELF	1	B-SP53-1200	1200 x 325 x 300									
106	1-TIER POTRACK SHELF	1	B-SP53-900	900 x 325 x 300									
108	1-TIER POTRACK SHELF	1	B-SP53-1200	1200 x 325 x 300									
110	1-TIER POTRACK SHELF	1	B-SP53-1200	1200 x 325 x 300									
112	1-TIER POTRACK SHELF	1	B-SP53-600	600 x 325 x 300									
114	1-TIER POTRACK SHELF	1	B-SP53-1200	1200 x 325 x 300									
116	1-TIER POTRACK SHELF	1	B-SP53-900	900 x 325 x 300									
118	1-TIER POTRACK SHELF	1	B-SP53-1200	1200 x 325 x 300									
120	1-TIER POTRACK SHELF	1	B-SP53-600	600 x 325 x 300									
122	1-TIER POTRACK SHELF	1	B-SP53-1200	1200 x 325 x 300									
124	1-TIER POTRACK SHELF	1	B-SP53-900	900 x 325 x 300									
126	1-TIER POTRACK SHELF	1	B-SP53-900	900 x 325 x 300									

**EQUIPMENT SCHEDULE (KITCHEN A)**

MARK	Description	Qty.	Model	Size (L x W x H) in mm	Electrical Amps	Kilowatts	AFFL mm	Hot Water	Cold Water	Drain	Gas Type	GAS mj	Notes
A02	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
A04	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
A06	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
A08	FREE STANDING GAS FRYER	1	G35C+S	385 X 769 X 900 / 1168			100				NATURAL	100	
A10	SALAMANDER BENCH	1	B-SAB-900	900 x 800 x 900									
A12	600 WIDE GAS SALAMANDER	1	LUUS SM-60	600 x 445 x 560			100				NATURAL	22	
A14	LAVA COMBI OVEN DIRECT STEAM	1	LRHDEA-104E	510 x 812 x 670	3 Ph + N	5.2	150		Y	Y + Tundish			
A16	1-TIER POTRACK SHELF	1	B-SP53-1200	1200 x 325 x 300									
A18	1-TIER POTRACK SHELF	1	B-SP53-900	900 x 325 x 300									
A20	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
A22	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
A24	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-650	650 x 2100									
A26	S/S TRAINERS BENCH ON CASTERS	1	B-DB7-1000	1000 X 700 X 900									

REV.	DATE	COMMENTS
A1	Mar. 30, 2020	Issued for information and comments
A2	Apr. 07, 2020	Site measurement
A3	Apr. 08, 2020	Room markings
A4	Apr. 09, 2020	New hoods
A5	Apr. 15, 2020	Tables revisions
A6	May 05, 2020	Comparison against quotation as final revisions
A7	May 07, 2020	9 x 4-Burner with oven & salamander gas 600 mm wide
A8	May 07, 2020	Kitchen A
A9	May 13, 2020	Maintaining distance of minimum 1000 on access

**" INDICATIVE PLAN ONLY "**  
**(MAY REQUIRE FURTHER ENGINEERING)**  
**SUBCONTRACTORS' RESPONSIBILITY FOR SITE MEASUREMENT**

**THIS DRAWING MUST NOT BE SCALED**  
 THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATA AND LEVEL PRIOR TO THE COMMENCEMENT OF WORK. ALL ERRORS AND OMISSIONS BETWEEN THE DRAWINGS AND SPECIFICATION ARE TO BE REPORTED IMMEDIATELY.



**FORTE THE HOSPITALITY BUILDERS**

ENDA HUGHES  
0418 459646

PROJECT:  
**9B CERTIFIED TRAINING KITCHEN**  
 Location: 19/30 Beaconsfield Street  
 Alexandria NSW 2015

DRAWING TITLE:  
**EQUIPMENT SCHEDULE**  
 DRAWN: L. DATE: May 13, 2020 SCALE: (A3)  
 PROJECT NO: 01 DRAWING NO: 02.1 REV: A9

**EQUIPMENT SCHEDULE (by others)**

wt	Description	Qty.	Model	Size (L x W x H) in mm	Electrical Amps	Kilowatts	AFFL mm	Hot Water	Cold Water	Drain	Gas Type	GAS mj	Notes
E2	NEW EXHAUST HOOD	1		2160 X 950 X 800	10	2.4	2100						BY OTHERS
E4	NEW EXHAUST HOOD	1		1600 X 950 X 800	10	2.4	2100						BY OTHERS
E6	NEW EXHAUST HOOD	1		600 X 950 X 800	10	2.4	2100						BY OTHERS
E8	EXISTING EXHAUST HOOD	1	EXISTING	3000 X 900 X 800									EXISTING
E10	EXISTING EXHAUST HOOD	1	EXISTING	3480 X 950 X 800									EXISTING
E12	EXISTING EXHAUST HOOD	1	EXISTING	4400 X 950 X 800									EXISTING
E14	EXISTING SHELVING	16	EXISTING										EXISTING
E16	EXISTING EXHAUST HOOD	1	EXISTING	3125 X 900 X 800									EXISTING
E18	EXISTING EXHAUST HOOD	1	EXISTING	4000 X 900 X 800									EXISTING
E20	FIRE EXTINGUISHER	1											BY OTHERS
E22	FIRE EXTINGUISHER	1											BY OTHERS
E24	FIRE EXTINGUISHER	1											BY OTHERS
E26	FIRE EXTINGUISHER	1											BY OTHERS
E28	FIRE EXTINGUISHER	1											BY OTHERS

**" INDICATIVE PLAN ONLY "**  
**(MAY REQUIRE FURTHER ENGINEERING)**  
**SUBCONTRACTORS' RESPONSIBILITY FOR SITE MEASUREMENT**


AMENDMENTS		
REV.	DATE	COMMENTS
A1	Mar. 30, 2020	Issued for information and comments
A2	Apr. 07, 2020	Site measurement
A3	Apr. 08, 2020	Room markings
A4	Apr. 09, 2020	New hoods
A5	Apr. 15, 2020	Tables revisions
A6	May 05, 2020	Comparison against quotation as final revisions
A7	May 07, 2020	9 x 4-Burner with oven & salamander gas 600 mm wide
A8	May 07, 2020	Kitchen A
A9	May 13, 2020	Maintaining distance of minimum 1000 on access

**THIS DRAWING MUST NOT BE SCALED**  
 THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATA AND LEVEL PRIOR TO THE COMMENCEMENT OF WORK. ALL ERRORS AND OMISSIONS BETWEEN THE DRAWINGS AND SPECIFICATION ARE TO BE REPORTED IMMEDIATELY.



**FORTE THE HOSPITALITY BUILDERS**  
 ENDA HUGHES  
 0418 459646

PROJECT:		DRAWING TITLE:	
9B CERTIFIED TRAINING KITCHEN		EQUIPMENT SCHEDULE	
DRAWN	L.	DATE	May 13, 2020
PROJECT NO.	01	SCALE	(A3)
DRAWING NO.	02.2	REV.	A9



**" INDICATIVE PLAN ONLY "**  
**(MAY REQUIRE FURTHER ENGINEERING)**  
**SUBCONTRACTORS' RESPONSIBILITY FOR SITE MEASUREMENT**

REV.	DATE	COMMENTS
A1	Mar. 30, 2020	Issued for information and comments
A2	Apr. 07, 2020	Site measurement
A3	Apr. 08, 2020	Room markings
A4	Apr. 09, 2020	New hoods
A5	Apr. 15, 2020	Tables revisions
A6	May 05, 2020	Comparison against quotation as final revisions
A7	May 07, 2020	9 x 4-Burner with oven & salamander gas 600 mm wide
A8	May 07, 2020	Kitchen A
A9	May 13, 2020	Maintaining distance of minimum 1000 on access


**THIS DRAWING MUST NOT BE SCALED**  
 THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATA AND LEVEL PRIOR TO THE COMMENCEMENT OF WORK. ALL ERRORS AND OMISSIONS BETWEEN THE DRAWINGS AND SPECIFICATION ARE TO BE REPORTED IMMEDIATELY.



**FORTE THE HOSPITALITY BUILDERS**  
 ENDA HUGHES  
 0418 459646

PROJECT: **9B CERTIFIED TRAINING KITCHEN**  
 Location: **19/30 Beaconsfield Street Alexandria NSW 2015**

DRAWING TITLE: **ISOMETRIC VIEW**  
 DRAWN: **L.** DATE: **May 13, 2020** SCALE: **(A3)**  
 PROJECT NO: **01** DRAWING NO: **03** REV: **A9**



" INDICATIVE PLAN ONLY "  
 (MAY REQUIRE FURTHER ENGINEERING)  
 SUBCONTRACTORS' RESPONSIBILITY FOR SITE MEASUREMENT

REV.	DATE	COMMENTS
A1	Mar. 30, 2020	Issued for information and comments
A2	Apr. 07, 2020	Site measurement
A3	Apr. 08, 2020	Room markings
A4	Apr. 09, 2020	New hoods
A5	Apr. 15, 2020	Tables revisions
A6	May 05, 2020	Comparison against quotation as final revisions
A7	May 07, 2020	9 x 4-Burner with oven & salamander gas 600 mm wide
A8	May 07, 2020	Kitchen A
A9	May 13, 2020	Maintaining distance of minimum 1000 on access


THIS DRAWING MUST NOT BE SCALED  
 THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATA AND LEVEL PRIOR TO THE COMMENCEMENT OF WORK. ALL ERRORS AND OMISSIONS BETWEEN THE DRAWINGS AND SPECIFICATION ARE TO BE REPORTED IMMEDIATELY.



**FORTE THE HOSPITALITY BUILDERS**  
 ENDA HUGHES  
 0418 459646


PROJECT: **9B CERTIFIED TRAINING KITCHEN**  
 Location: 19/30 Beaconsfield Street Alexandria NSW 2015

DRAWING TITLE: **ISOMETRIC VIEW**  
 DRAWN: L. DATE: May 13, 2020 SCALE: (A3)  
 PROJECT NO: 01 DRAWING NO: 03.1 REV: A9




# 1 SECTION 1

SCALE: 1:60



# 2 SECTION 2

SCALE: 1:60



# 3 SECTION 3 (KITCHEN A)

SCALE: 1:60

**LEGEND:**

- NEW EQUIPMENT
- EXISTING EQUIPMENT

REV.	DATE	COMMENTS
A1	Mar. 30, 2020	Issued for information and comments
A2	Apr. 07, 2020	Site measurement
A3	Apr. 08, 2020	Room markings
A4	Apr. 09, 2020	New hoods
A5	Apr. 15, 2020	Tables revisions
A6	May 05, 2020	Comparison against quotation as final revisions
A7	May 07, 2020	9 x 4-Bumer with oven & salamander gas 600 mm wide
A8	May 07, 2020	Kitchen A
A9	May 13, 2020	Maintaining distance of minimum 1000 on access

**" INDICATIVE PLAN ONLY "**  
**(MAY REQUIRE FURTHER ENGINEERING)**  
**SUBCONTRACTORS' RESPONSIBILITY FOR SITE MEASUREMENT**

**THIS DRAWING MUST NOT BE SCALED**  
 THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATA AND LEVEL PRIOR TO THE COMMENCEMENT OF WORK. ALL ERRORS AND OMISSIONS BETWEEN THE DRAWINGS AND SPECIFICATION ARE TO BE REPORTED IMMEDIATELY.



**FORTE THE HOSPITALITY BUILDERS**  
 ENDA HUGHES  
 0418 459646

PROJECT: <b>9B CERTIFIED TRAINING KITCHEN</b>		DRAWING TITLE: <b>SECTION</b>	
Location: <b>19/30 Beaconsfield Street Alexandria NSW 2015</b>		DRAWN: <b>L.</b>	DATE: <b>May 13, 2020</b>
PROJECT NO. <b>01</b>	DRAWING NO. <b>04</b>	SCALE: <b>As indicated</b>	REV. <b>A9</b>



## TRAINING ROOM 1

" INDICATIVE PLAN ONLY "  
 (MAY REQUIRE FURTHER ENGINEERING)  
 SUBCONTRACTORS' RESPONSIBILITY FOR SITE MEASUREMENT

AMENDMENTS		
REV.	DATE	COMMENTS
A1	Mar. 30, 2020	Issued for information and comments
A2	Apr. 07, 2020	Site measurement
A3	Apr. 08, 2020	Room markings
A4	Apr. 09, 2020	New hoods
A5	Apr. 15, 2020	Tables revisions
A6	May 05, 2020	Comparison against quotation as final revisions
A7	May 07, 2020	9 x 4-Burner with oven & salamander gas 600 mm wide
A8	May 07, 2020	Kitchen A
A9	May 13, 2020	Maintaining distance of minimum 1000 on access

THIS DRAWING MUST NOT BE SCALED  
 THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATA AND LEVEL PRIOR TO THE COMMENCEMENT OF WORK. ALL ERRORS AND OMISSIONS BETWEEN THE DRAWINGS AND SPECIFICATION ARE TO BE REPORTED IMMEDIATELY.



**FORTE THE HOSPITALITY BUILDERS**


ENDA HUGHES  
 0418 459646

PROJECT:  
**9B CERTIFIED TRAINING KITCHEN**  
 Location: 19/30 Beaconsfield Street  
 Alexandria NSW 2015

DRAWING TITLE:  
**PERSPECTIVE**

DRAWN	L.	DATE	May 13, 2020	SCALE	(A3)
PROJECT NO.	01	DRAWING NO.	05	REV.	A9





## TRAINING ROOM 2

**" INDICATIVE PLAN ONLY "**  
**(MAY REQUIRE FURTHER ENGINEERING)**  
**SUBCONTRACTORS' RESPONSIBILITY FOR SITE MEASUREMENT**

AMENDMENTS		
REV.	DATE	COMMENTS
A1	Mar. 30, 2020	Issued for information and comments
A2	Apr. 07, 2020	Site measurement
A3	Apr. 08, 2020	Room markings
A4	Apr. 09, 2020	New hoods
A5	Apr. 15, 2020	Tables revisions
A6	May 05, 2020	Comparison against quotation as final revisions
A7	May 07, 2020	9 x 4-Burner with oven & salamander gas 600 mm wide
A8	May 07, 2020	Kitchen A
A9	May 13, 2020	Maintaining distance of minimum 1000 on access

**THIS DRAWING MUST NOT BE SCALED**  
 THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATA AND LEVEL PRIOR TO THE COMMENCEMENT OF WORK. ALL ERRORS AND OMISSIONS BETWEEN THE DRAWINGS AND SPECIFICATION ARE TO BE REPORTED IMMEDIATELY.



**FORTE THE HOSPITALITY BUILDERS**

ENDA HUGHES  
 0418 459646

PROJECT:  
**9B CERTIFIED TRAINING KITCHEN**  
 Location: 19/30 Beaconsfield Street  
 Alexandria NSW 2015

DRAWING TITLE:  
**PERSPECTIVE**

DRAWN	L.	DATE	May 13, 2020	SCALE	(A3)
PROJECT NO.	01	DRAWING NO.	05.1	REV.	A9



## KITCHEN A

**" INDICATIVE PLAN ONLY "**  
**(MAY REQUIRE FURTHER ENGINEERING)**  
**SUBCONTRACTORS' RESPONSIBILITY FOR SITE MEASUREMENT**

AMENDMENTS		
REV.	DATE	COMMENTS
A1	Mar. 30, 2020	Issued for information and comments
A2	Apr. 07, 2020	Site measurement
A3	Apr. 08, 2020	Room markings
A4	Apr. 09, 2020	New hoods
A5	Apr. 15, 2020	Tables revisions
A6	May 05, 2020	Comparison against quotation as final revisions
A7	May 07, 2020	9 x 4-Burner with oven & salamander gas 600 mm wide
A8	May 07, 2020	Kitchen A
A9	May 13, 2020	Maintaining distance of minimum 1000 on access

**THIS DRAWING MUST NOT BE SCALED**  
 THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATA AND LEVEL PRIOR TO THE COMMENCEMENT OF WORK. ALL ERRORS AND OMISSIONS BETWEEN THE DRAWINGS AND SPECIFICATION ARE TO BE REPORTED IMMEDIATELY.




**FORTE THE HOSPITALITY BUILDERS**

ENDA HUGHES  
 0418 459646

PROJECT:  
**9B CERTIFIED TRAINING KITCHEN**  
 Location: 19/30 Beaconsfield Street  
 Alexandria NSW 2015

DRAWING TITLE:  
**PERSPECTIVE**

DRAWN	L.	DATE	May 13, 2020	SCALE	(A3)
PROJECT NO.	01	DRAWING NO.	05.2	REV.	A9



**LEGEND  
ELECTRICAL CONNECTIONS**

- 1Ph direct connection to isolator mounted on wall or in service compartment. Height above finish floor shown
- 2Ph direct connection to isolator mounted on wall or in service compartment. Height above finish floor shown
- 3Ph direct connection to isolator mounted on wall or in service compartment. Height above finish floor shown
- Electrical penetration or duct from ceiling for cable in island situations
- Data connections

- Positions nominated are preferred locations. If site conditions require a change in positions then HE2020 is to be contacted to confirm change.

**NOTE:**

- Power connection points and railings for food and beverage equipment only have been shown.

All other services to be co-ordinated with consultant's drawings.

**IMPORTANT NOTES FOR REFRIGERATION CABINETS**

- The electrical supply to all under counter and upright refrigeration cabinets are NOT to have any Earth Leakage or "RCD" (Residual Current Detector) on the circuit.

**NO POWER POINT BEHIND ANY EQUIPMENT**

**REFER TO OTHERS FOR ALL EXISTING AND MOVED EQUIPMENT**

# 1 ELECTRICAL LAYOUT

SCALE: 1:100

**" INDICATIVE PLAN ONLY "**  
**(MAY REQUIRE FURTHER ENGINEERING)**  
**SUBCONTRACTORS' RESPONSIBILITY FOR SITE MEASUREMENT**

AMENDMENTS		
REV.	DATE	COMMENTS
A1	Mar. 30, 2020	Issued for information and comments
A2	Apr. 07, 2020	Site measurement
A3	Apr. 08, 2020	Room markings
A4	Apr. 09, 2020	New hoods
A5	Apr. 15, 2020	Tables revisions
A6	May 05, 2020	Comparison against quotation as final revisions
A7	May 07, 2020	9 x 4-Bumer with oven & salamander gas 600 mm wide
A8	May 07, 2020	Kitchen A
A9	May 13, 2020	Maintaining distance of minimum 1000 on access


**THIS DRAWING MUST NOT BE SCALED**  
THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATA AND LEVEL PRIOR TO THE COMMENCEMENT OF WORK. ALL ERRORS AND OMISSIONS BETWEEN THE DRAWINGS AND SPECIFICATION ARE TO BE REPORTED IMMEDIATELY.



**FORTE THE HOSPITALITY BUILDERS**  
ENDA HUGHES  
0418 459646

PROJECT:  
**9B CERTIFIED TRAINING KITCHEN**  
Location: 19/30 Beaconsfield Street  
Alexandria NSW 2015

DRAWING TITLE:  
**ELECTRICAL LAYOUT**  
DRAWN: L. DATE: May 13, 2020 SCALE: As indicated  
PROJECT NO: 01 DRAWING NO: 06 REV: A9




**PLUMBING / HYDRAULICS:**

- C COLD WATER STOPCOCK
- H HOT WATER STOPCOCK
- HC HOT & COLD WATER
- T TUNDISH
- DW DIRECT WASTE S-TRAP
- ID INDIRECT DRAIN CONNECTION
- SS SS FLOOR WASTE + BUCKET TRAP
- SS2 SS FLOOR WASTE + STRAINER
- FW FLOORS FALLS 1:100 TO FLOOR WASTE (ARCHITECTURAL CONSULTANT)
- GT GREASE TRAP

NO ANY STUB OUT BEHIND ANY EQUIPMENT

REFER TO OTHERS FOR ALL EXISTING AND MOVED EQUIPMENT



# 1 HYDRAULICS LAYOUT

SCALE: 1 : 100

" INDICATIVE PLAN ONLY "  
 (MAY REQUIRE FURTHER ENGINEERING)  
 SUBCONTRACTORS' RESPONSIBILITY FOR SITE MEASUREMENT

AMENDMENTS		
REV.	DATE	COMMENTS
A1	Mar. 30, 2020	Issued for information and comments
A2	Apr. 07, 2020	Site measurement
A3	Apr. 08, 2020	Room markings
A4	Apr. 09, 2020	New hoods
A5	Apr. 15, 2020	Tables revisions
A6	May 05, 2020	Comparison against quotation as final revisions
A7	May 07, 2020	9 x 4-Burner with oven & salamander gas 600 mm wide
A8	May 07, 2020	Kitchen A
A9	May 13, 2020	Maintaining distance of minimum 1000 on access

THIS DRAWING MUST NOT BE SCALED  
 THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATA AND LEVEL PRIOR TO THE COMMENCEMENT OF WORK. ALL ERRORS AND OMISSIONS BETWEEN THE DRAWINGS AND SPECIFICATION ARE TO BE REPORTED IMMEDIATELY.




**FORTE THE HOSPITALITY BUILDERS**  
 ENDA HUGHES  
 0418 459646

PROJECT: <b>9B CERTIFIED TRAINING KITCHEN</b>		DRAWING TITLE: <b>HYDRAULICS LAYOUT</b>	
Location: 19/30 Beaconsfield Street Alexandria NSW 2015	DRAWN: L.	DATE: May 13, 2020	SCALE: As indicated (A3)
PROJECT NO: 01	DRAWING NO: 07	REV: A9	

# ELECTRICAL, PLUMBING, GAS, FIRE AND WALLS STANDARDS

## ELECTRICAL:



## ELECTRICAL SERVICES NOTES:



1. ALL ELECTRICAL SERVICES AS SHOWN ON THIS DRAWING ARE FOR THE SPECIFIC FOOD SERVICE EQUIPMENT AS SPECIFIED
2. THE KITCHEN EQUIPMENT SUB-CONTRACTOR IS TO FULLY COORDINATE THE FINAL LOCATION OF ELECTRICAL OUTLETS WITH ELECTRICAL SUB-CONTRACTOR
3. THE KITCHEN EQUIPMENT SUB-CONTRACTOR IS TO SUPPLY AND INSTALL ALL MALE ELECTRICAL PLUGS FULLY COORDINATED WITH THE FEMALE OUTLETS SUPPLIED BY THE ELECTRICAL SUB-CONTRACTOR
4. ALL DIRECT WIRED APPLIANCES ARE TO BE CONNECTED USING SMOOTH FLEXIBLE PVC CONDUIT by Electrical contractor.
5. ANY EXPOSED CONDUIT TO BE CHASED INTO WALLS UNLESS OTHERWISE SPECIFIED, TO BE FLUSH TO ALLOW FOR TILING.
6. ANY CONDUIT UNDER BENCH TO BE WATER PROOFED CONNECTION BY ELECTRICAL CONTRACTOR.
7. KITCHEN LIGHTING BY ELECTRICAL CONTRACTOR.



**STANDARD HAND BASIN DETAIL**

" INDICATIVE PLAN ONLY "  
(MAY REQUIRE FURTHER ENGINEERING)  
SUBCONTRACTORS' RESPONSIBILITY FOR SITE MEASUREMENT

## PLUMBING / HYDRAULICS:



## HYDRAULIC SERVICE NOTES:


1. ALL WATER IS TO BE SUPPLIED AT A PRESSURE OF BETWEEN 150 - 300 Kpa, BY HYDRAULIC SUB-CONTRACTOR.
2. THE HYDRAULIC SUB-CONTRACTOR IS TO SUPPLY AND INSTALL ALL TAP SETS, SPOUTS AND PIPE WORK WITHIN EQUIPMENT, TERMINATED WITH FEMALE TAILS AND IS TO PROVIDE FLEXIBLE HOSES AND ANY OTHER NECESSARY FITTINGS FOR THEM TO FULLY CONNECT ALL ITEMS FROM THE STOPCOCKS
3. THE HYDRAULIC SUB-CONTRACTOR IS TO PROVIDE STOPCOCKS TO ALL WATER POINTS AND CONNECT FROM THESE TO ALL APPLIANCES, TAP SETS ETC.
4. THE KITCHEN EQUIPMENT SUB-CONTRACTOR IS TO PROVIDE WATER FILTERS TO SUIT THE APPLIANCES UNDER THEIR CONTRACT, AND IS TO SUPPLY FLEXIBLE HOSES AND ALL OTHER NECESSARY FITTINGS FOR THE HYDRAULIC SUB-CONTRACTOR TO FULLY CONNECT THE EQUIPMENT EXCEPT GAS APPLIANCE.

## FIRE:



## GAS:


### TYPICAL GAS CONNECTION ON ALL GAS APPLIANCE



ALL GAS CONNECTIONS ARE FLEXIBLE - WITH SAFETY CHAIN TO EQUIPMENT (BY GAS FITTER)




## WALL CLADDING / TILING AT 2100 MM AFFL



TILING OR CLADDING 2100 mm AFFL

## KITCHEN COVING



THIS DRAWING MUST NOT BE SCALED

THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATA AND LEVEL PRIOR TO THE COMMENCEMENT OF WORK. ALL ERRORS AND OMISSIONS BETWEEN THE DRAWINGS AND SPECIFICATION ARE TO BE REPORTED IMMEDIATELY.



FORTE THE HOSPITALITY BUILDERS

ENDA HUGHES  
0418 459646

PROJECT:  
9B CERTIFIED TRAINING  
KITCHEN  
Location: 19/30 Beaconsfield Street  
Alexandria NSW 2015

ELECTRICAL, PLUMBING, GAS,  
FIRE AND WALLS INSTALLATION

DRAWN	L.	DATE	May 13, 2020	SCALE	NOT TO SCALE (A3)
PROJECT NO.	01	DRAWING NO.	S01	REV.	A1