



**SCALE:** 1:100

" INDICATIVE PLAN ONLY " (MAY REQUIRE FURTHER ENGINEERING) SUBCONTRACTORS' RESPONSIBILITY FOR SITE MEASUREMENT

### THIS DRAWING MUST NOT BE SCALED

THE CONTRACTOR SHALL VERIFY ALL THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATA AND LEVEL PRIOR TO THE COMMENCEMENT OF WORK. ALL ERRORS AND OMISSIONS BETWEEN THE DRAWINGS AND SPECIFICATION ARE TO BE REPORTED IMMEDIATELY.









## FORTE THE HOSPITALITY BUILD

**ENDA HUGHES** 0418 459646

0418 459646	Location:	SURRY HILLS		PROJECT NO.	DRAWING NO. A02	indicated A6
ENDA HUGHES	ļ	65 HOLT STR	EET,	DRAWN L.	DATE June 16, 2020	SCALE (A3) As
HOSPITALITY BUILDERS	сноіс	E COOKING	SCHOOL		CHEN LAYO	
	PROJECT:	•		DRAWING TITLE:		
		1				
EXISTING WALLS & COLUMNS						
EXISTING EQUIPMENT				<u> </u>	<u>'</u>	
NEW EQUIPMENT						
	A6	June 16, 2020	Makups as noted			
	A5	May 05, 2020	Updated specification	s on equipment		
!	A4	Apr. 29, 2020	To use 4-burner with o	ven for all		

A6

MARK	Description	Qty.	Model	Size (L x W x H) in mm	Electrical Amps	Kilowatts	AFFL mm	Hot Water	Cold Water	Drain	Gas Type	GAS mj	Notes
02	DAIRY PRODUCE DISPLAY (Open face)	1	GLRSS-1M	1000 X 752 X 2000	10	2.4	2200						
04	DAIRY PRODUCE DISPLAY (Open face)	1	GLR99-1M	1000 X 752 X 2000	10	2.4	2200						
06	SQUARE GLASS COLD FOOD DISPLAY	1	GRT3-12	1200 x 700 x 1340	10	4.0	250						
08	FREE STANDING GAS FRYER	1	G35C+9	385 X 769 X 900 / 1168	10	7.0	100				NATURAL	100	
10	ELECTROMECHANICAL COMBI OVEN 7 X 1/1 GN TRAYS	1	LCDEA-107E	798 X 809 X 783	3 Ph + N	8.4	1400		Y	Y + Tundish	TVATORAL	100	
12	COMBI STAND WITH SPLASH	1	B-WB850W	900 x 850 x 900	OTHER	0.4	1100		<u>'</u>	1 + Tullaisii			
14	PURITY QUELL 1200ST COMBI FILTER	1	HE1200-PQ	000 x 000 x 000					Y				
16	5/5 TRAINERS BENCH	1	B-DB7-1000	1000 X 700 X 900					<u> </u>				
18	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
22	SALAMANDER BENCH	1	BSA8-900	900 x 800 x 900							101101012		
24	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-300	300 x 2100									
26	1-TIER POTRACK SHELF	1	B-9P93-600	600 x 325 x 300									
28	STAINLESS STEEL OVER SHELF	1	B-963-1500	1500 X 325 X 300									
30	STAINLESS STEEL OVER SHELF	1	B-963-1500	1500 X 325 X 300									
32	WORK BENCH SPLASH BACK 800mm DEEP	1	B-WB8-300	300 X 800 X 900		<del>                                     </del>							
34	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100		<del>                                     </del>	100				NATURAL	118	
35	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
36	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-650	650 x 2100							101101012		
38	OUTLET BENCH LEFT SIDE	1	B-ISL-1000	1000 X 760 X 900									
40	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
42	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
44	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
46	FREE STANDING GAS FRYER	1	G35C+9	385 X 769 X 900 / 1168			100				NATURAL	100	
48	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
49	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
50	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
51	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
52	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
54	WORK BENCH SPLASH BACK 800mm DEEP	1	B-WB8-300	300 X 800 X 900									
56	ELECTROMECHANICAL COMBI OVEN 7 X 1/1 GN TRAYS	1	LCDEA-107E	798 X 809 X 783	3 Ph + N	8.4	1400		Y	Y + Tundish			
58	COMBI STAND WITH SPLASH	1	B-WB850W	900 x 850 x 900									
60	PURITY QUELL 1200ST COMBI FILTER	1	HE1200-PQ						Y				
62	S/S CHEF MOBILE BENCH ON CASTERS	32	B-DB7-1000	1000 X 700 X 900									
64	DOUBLE PLATE BENCH PRESSURE TOASTER	1	DLEC-D	570 x 305 x 210	15	3.6	1400						
66	WET BENCH (single sink)	1	BWB15-1800	1800 x 700 x 900				Y	Y	Y			
68	COFFEE GRINDER	1			10	0.45	600						BY OTHERS
70	COFFEE MACHINE 2 group	1		800 x 560 x 520	15A / 3 Ph + N	6.1	600		Y	Y + Tundish			BY OTHERS
72	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
74	900 WIDE GAS SALAMANDER	2	LSM-90	900 X 450 X 560			1400		İ		NATURAL	30	
76	SALAMANDER BENCH	1	BSA8-900	900 x 800 x 900									
78	S/S WORK BENCH SPLASH BACK	1	WB7-1800	1800 X 700 X 900									
80	1-TIER POTRACK SHELF	1	B-SPS3-600	600 x 325 x 300									
82	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
83	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
84	FREE STANDING GAS FRYER	1	G35C+9	385 X 769 X 900 / 1168			100				NATURAL	100	
86	FREE STANDING GAS FRYER	1	G35C+9	385 X 769 X 900 / 1168			100				NATURAL	100	
88	1-TIER POTRACK SHELF	1	B-SP53-1200	1200 x 325 x 300								-	
	4 OPEN PURNERO & OVEN	<del> </del>	LCRO AR	200 200 200 4400	+	<del>                                     </del>	100		+		MATURAL	440	

" INDICATIVE PLAN ONLY " (MAY REQUIRE FURTHER ENGINEERING) SUBCONTRACTORS' RESPONSIBILITY FOR SITE MEASUREMENT

4 OPEN BURNERS & OVEN

### THIS DRAWING MUST NOT BE SCALED

THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATA AND LEVEL PRIOR TO THE COMMENCEMENT OF WORK, ALL ERRORS AND OMISSIONS BETWEEN THE DRAWINGS AND SPECIFICATION ARE TO BE REPORTED IMMEDIATELY.





LCRO-4B



600 x 820 x 900 / 1100



## FORTE THE HOSPITALITY BUILDERS

ENDA HUGHES 0418 459646

To use 4-burner with oven for all

COMMENTS

Makups as noted

Apr. 20, 2020 Equipment layout Apr. 28, 2020 As per client's note

CHOICE COOKING SCHOOL

NATURAL

DATE

Apr. 29, 2020

June 16, 2020

AMENDMENTS

Location: 65 HOLT STREET, SURRY HILLS NSW 2010

**EQUIPMENT SCHEDULE** 

DRAWN	DATE	SCALE	(A3
L.	June 16, 2020		
PROJECT NO.	DRAWING NO.		REV.
01	A03		Δ6

				Equipment Sched	dule (Continua	tion 1)							
MARK	Description	Qty.	Model	Size (L x W x H) in mm	Electrical Amps	Kilowatts	AFFL mm	Hot Water	Cold Water	Drain	Gas Type	GAS mj	Notes
92	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
94	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
96	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
98	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
100	S/S TRAINERS BENCH	1	B-DB7-1000	1000 X 700 X 900									
102	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
104	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
106	1-TIER POTRACK SHELF	1	B-SPS3-1200	1200 x 325 x 300									
108	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
110	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
112	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
114	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
116	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
118	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
120	STAINLESS STEEL WALL CLADDING	1	HEWCLADDING-1200	1200 x 2100									
122	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
123	4 OPEN BURNERS & OVEN	1	LCRO-4B	600 x 820 x 900 / 1100			100				NATURAL	118	
124	S/S MOBILE BENCH FOR P. O. S.	1	B-DB7-600	600 X 700 X 900									
126	S/S WORK BENCH SPLASH BACK	1	B-WB7-1800	1800 X 700 X 900									
128	DOUBLE PLATE BENCH PRESSURE TOASTER	1	DLEC-D	570 x 305 x 210	15	3.6	1400						
130	MICROWAVE OVEN	1	JEMI 1000W	510 X 355 X 260	10	1.0	1400						
132	COMMERCIAL DISHWASHER	1	G5900PP	600 X 635 X 820	15	3.65	600	Y		Y + Tundish			
134	STAINLESS STEEL OVER SHELF	1	B-993-1500	1500 X 325 X 300									
136	STAINLESS STEEL OVER SHELF	1	B-953-1500	1500 X 325 X 300									
138	MICROWAVE OVEN	1	JEMI 1000W	510 X 355 X 260	10	1.0	1400						
140	P. O. S.	1	02	TBC	2 x 10	1.0	600						
142	1-TIER POTRACK SHELF	1	B-SPS3-1200	1200 x 325 x 300	2.7.10								
144	1-TIER POTRACK SHELF	1	B-9P93-1200	1200 x 325 x 300									
146	1-TIER POTRACK SHELF	1	B-SPS3-1200	1200 x 325 x 300									
148	1-TIER POTRACK SHELF	1	B-9P93-1200	1200 x 325 x 300									
150	1-TIER POTRACK SHELF	1	B-9P93-600	600 x 325 x 300									
152	1-TIER POTRACK SHELF	1	B-9P93-1200	1200 x 325 x 300									
154	1-TIER POTRACK SHELF	1	B-9P93-900	900 x 325 x 300									
156	1-TIER POTRACK SHELF	1	B-9P93-900	900 x 325 x 300									
160	SALAMANDER BENCH	1	BSA8-900	900 x 800 x 900									
162	WORK BENCH SPLASH BACK 800mm DEEP	1	B-WB8-300	300 X 800 X 900									
164	900 WIDE GAS SALAMANDER	2	L9M-90	900 X 450 X 560			1400				NATURAL	30	
166	SALAMANDER BENCH	1	BSA8-900	900 x 800 x 900									
168	COMMERCIAL DISHWASHER+ STEAM	1	L305CV	670 x 765 x 1700mm ,1870mm-open	3 Ph + N	10.1	600		Y	Y + Tundish			NO HOOD REQUIRES WITH STEAM CONDENSER
170	COMMERCIAL DISHWASHER	1	L99415	600 x 765 x 1460mm / 1875mm	3 Ph + N	9.65		Y		Y + Tundish			
172	D/W INLET+SINK (LEFT SIDE)	1	ISR2000-S	2000 X 760 X 900			600	Y	Y	Y			
174	1-TIER POTRACK SHELF	1	B-SPS3-600	600 x 325 x 300				<u> </u>	<u> </u>				
176	1-TIER POTRACK SHELF	1	B-9P93-900	900 x 325 x 300									
178	PRE RINGE SPRAY ARM	1	SP50WM	Height - 1355mm				Y	Y				REQUIRES 32mm HOLE ON BENCHT
	PRE RINGE SPRAY ARM	1	SP50WM	Height - 1355mm	+			Y	-				REQUIRES 32mm HOLE ON BENCHT
180	IFRE KINDE DEKAT AKM							T T	Y				IKEGUIKES SZMM HOLF ON BENCHI

" INDICATIVE PLAN ONLY " (MAY REQUIRE FURTHER ENGINEERING) SUBCONTRACTORS' RESPONSIBILITY FOR SITE MEASUREMENT

HAND BASIN CLEAT MOUNTED

ELECTRONIC MIXER (for Hand Basin)

### THIS DRAWING MUST NOT BE SCALED

184

THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATA AND LEVEL PRIOR TO THE COMMENCEMENT OF WORK, ALL ERRORS AND OMISSIONS BETWEEN THE DRAWINGS AND SPECIFICATION ARE TO BE REPORTED IMMEDIATELY.





WBHB19



500 X 405 X 150



## FORTE THE HOSPITALITY BUILDERS

**ENDA HUGHES** 0418 459646

ROJECT NO.

To use 4-burner with oven for all

COMMENTS

Makups as noted

Apr. 20, 2020 Equipment layout Apr. 28, 2020 As per client's note

**CHOICE COOKING SCHOOL** 

DATE

Apr. 29, 2020

June 16, 2020

**EQUIPMENT SCHEDULE** DATE June 16, 2020

Ã03.1

Location: 65 HOLT STREET, SURRY HILLS NSW 2010

AMENDMENTS

	Equipment Schedule (Continuation 2)											
MARK	Description	Qty.	Model	Size (L x W x H) in mm	Electrical Amps Kilowatts	AFFL mm	Hot Water	Cold Water	Drain	Gas Type GA	S mj	Notes
188	ELECTRONIC MIXER (for Hand Basin)	1			10	900	Y	Y				
190	HAND BASIN CLEAT MOUNTED	1	WBHB16	500 X 405 X 150			Y	Y	Y			
191	ELECTRONIC MIXER (for Hand Basin)	1			10	900	Y	Y				
192	STAINLESS STEEL HAND BASIN	1	WBHBRS	380 X 300 X 190			Y	Υ	Y			
193	ELECTRONIC MIXER (for Hand Basin)	1			10	900	Y	Y				
194	HAND BASIN CLEAT MOUNTED	1	WBHB1S	500 X 405 X 150			Y	Y	Y			
195	ELECTRONIC MIXER (for Hand Basin)	1			10	900	Y	Υ				
196	OUTLET BENCH RIGHT SIDE	1	B-ISR-1000	1000 X 760 X 900								

	Equipment Schedule (by others)												
MARK	Description	Qty.	Model	Size (L x W x H) in mm	Electrical Amps	Kilowatts	AFFL mm	Hot Water	Cold Water	Drain	Gas Type	GAS mj	Notes
E2	EXISTING EXHAUST HOOD	1	EXISTING	5000 LENGTH	TBC								EXISTING
E4	EXISTING BENCH	1											EXISTING
E6	EXISTING SINK	1						Y	Y	Υ			EXISTING
E8	EXISTING BENCH	1											EXISTING
E10	EXISTING BENCH	1											EXISTING
E12	EXISTING EXHAUST HOOD	1	EXISTING										EXISTING
E14	EXHAUST HOOD (NEW)	1		3710 x 1150 x 800	10	2.4	2100						BY OTHERS
E16	EXHAUST HOOD (NEW)	1		8870 x 1150 x 800	10	2.4	2100						BY OTHERS
E18	BAR FRONT COUNTER	1											BY OTHERS

" INDICATIVE PLAN ONLY " (MAY REQUIRE FURTHER ENGINEERING) SUBCONTRACTORS' RESPONSIBILITY FOR SITE MEASUREMENT

THIS DRAWING MUST NOT BE SCALED

THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATA AND LEVEL PRIOR TO THE COMMENCEMENT OF WORK, ALL ERRORS AND OMISSIONS BETWEEN THE DRAWINGS AND SPECIFICATION ARE TO BE REPORTED IMMEDIATELY.









## FORTE THE HOSPITALITY BUILDERS

ENDA HUGHES 0418 459646

**CHOICE COOKING SCHOOL** 

AMENDMENTS

Location: 65 HOLT STREET, SURRY HILLS NSW 2010

DATE

June 16, 2020


COMMENTS

Makups as noted

Apr. 20, 2020 Equipment layout Apr. 28, 2020 As per client's note Apr. 29, 2020 To use 4-burner with oven for all

**EQUIPMENT SCHEDULE** 

DATE June 16, 2020 ROJECT NO. A03.2



THIS DRAWING MUST NOT BE SCALED

THE CONTRACTOR SHALL VERIFY ALL THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATA AND LEVEL PRIOR TO THE COMMENCEMENT OF WORK. ALL ERRORS AND OMISSIONS BETWEEN THE DRAWINGS AND SPECIFICATION ARE TO BE REPORTED IMMEDIATELY.











### FORTE THE HOSPITALITY BUILDERS

**ENDA HUGHES** 0418 459646

PROJECT:			DRAWING TITLE:		
СНОІСЕ	E COOKING	SCHOOL			
			DRAWN	DATE	SCALE (A
	65 HOLT STR SURRY HILLS		PROJECT NO.	DRAWING NO. <b>A04</b>	1 : 50 REV. A6









TRAINING KITCHEN 2

BAR

" INDICATIVE PLAN ONLY " (MAY REQUIRE FURTHER ENGINEERING) SUBCONTRACTORS' RESPONSIBILITY FOR SITE MEASUREMENT

### THIS DRAWING MUST NOT BE SCALED

THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATA AND LEVEL PRIOR TO THE COMMENCEMENT OF WORK, ALL ERRORS AND OMISSIONS BETWEEN THE DRAWINGS AND SPECIFICATION ARE TO BE REPORTED IMMEDIATELY.









## FORTE THE HOSPITALITY BUILDERS

ENDA HUGHES 0418 459646

A1	Apr. 17, 2020	Base plan
A2	Apr. 20, 2020	Equipment layout
A3	Apr. 28, 2020	As per client's note
A4	Apr. 29, 2020	To use 4-burner with oven for all
A5	May 05, 2020	Updated specifications on equipment
A6	June 16, 2020	Makups as noted

**CHOICE COOKING SCHOOL** 

Location: 65 HOLT STREET, SURRY HILLS NSW 2010

DATE COMMENTS

PERSPECTIVES June 16, 2020



## ELECTRICAL, PLUMBING, GAS, FIRE AND WALLS STANDARDS

### **ELECTRICAL:**



10 AMP GPO



15 AMP GPO



2 PHASE + N **DIRECT CONNECTION WATER PROOF ISOLATOR SWITCH** 




3 PHASE + N **DIRECT CONNECTION WATER PROOF ISOLATOR SWITCH** 



**ELECTRICAL CONDUIT 25 mm OFF THE** WALL

### **ELECTRICAL SERVICES NOTES:**

- 1. ALL ELECTRICAL SERVICES AS SHOWN ON THIS DRAWING ARE FOR THE SPECIFIC FOOD SERVICE **EQUIPMENT AS SPECIFIED**
- 2. THE KITCHEN EQUIPMENT SUB-CONTRACTOR IS TO **FULLY COORDINATE THE FINAL LOCATION OF ELECTRICAL OUTLETS WITH ELECTRICAL SUB-**CONTRACTOR
- 3. THE KITCHEN EQUIPMENT SUB-CONTRACTOR IS TO SUPPLY AND INSTALL ALL MALE ELECTRICAL PLUGS FULLY COORDINATED WITH THE FEMALE OUTLETS SUPPLIED BY THE ELECTRICAL SUB-CONTRACTOR
- 4. ALL DIRECT WIRED APPLIANCES ARE TO BE CONNECTED USING SMOOTH FLEXIBLE PVC CONDUIT by Electrical contractor.
- 5. ANY EXPOSED CONDUIT TO BE CHASED INTO WALLS UNLESS OTHERWISE SPECIFIED, TO BE FLUSH TO ALLOW FOR TILING.
- 6. ANY CONDUIT UNDER BENCH TO BE WATER PROOFED CONNECTION BY ELECTRICAL CONTRACTOR.
- 7. KITCHEN LIGHTING BY ELECTRICAL CONTRACTOR.



STANDARD HAND BASIN DETAIL

" INDICATIVE PLAN ONLY " (MAY REQUIRE FURTHER ENGINEERING) SUBCONTRACTORS' RESPONSIBILITY FOR SITE MEASUREMENT

### PLUMBING / HYDRAULICS:

**COLD WATER STOPCOCK** 

**HOT WATER STOPCOCK** 

(HC) **HOT & COLD WATER** 

**(S) STEAM** 



**TUNDISH** 



DIRECT WASTE S-TRAP DW







SS FLOOR WASTE + STRAINER



FLOORS FALLS 1:100 TO FLOOR WASTE (ARCHITECTURAL CONSULTANT)



**GREASE TRAP - SIZE BY PLUMBER** 



**ANY EXTERNAL PIPES SHOULD BE** 25 mm AWAY FROM WALL

### **HYDRAULIC SERVICE NOTES:**


- 1. ALL WATER IS TO BE SUPPLIED AT A PRESSURE OF BETWEEN 150 - 300 Kpa, BY HYDRAULIC SUB-CONTRACTOR.
- 2. THE HYDRAULIC SUB-CONTRACTOR IS TO SUPPLY AND INSTALL ALL TAP SETS, SPOUTS AND PIPE WORK WITHIN EQUIPMENT, TERMINATED WITH FEMALE TAILS AND IS TO PROVIDE FLEXIBLE HOSES AND ANY OTHER NECESSARY FITTINGS FOR THEM TO FULLY CONNECT ALL ITEMS FROM THE STOPCOCKS
- 3. THE HYDRAULIC SUB-CONTRACTOR IS TO PROVIDE STOPCOCKS TO ALL WATER POINTS AND CONNECT FROM THESE TO ALL APPLIANCES, TAP SETS ETC.
- 4. THE KITCHEN EQUIPMENT SUB-CONTRACTOR IS TO PROVIDE WATER FILTERS TO SUIT THE APPLIANCES UNDER THEIR CONTRACT, AND IS TO SUPPLY FLEXIBLE HOSES AND ALL OTHER **NECESSARY FITTINGS FOR THE HYDRAULIC SUB-**CONTRACTOR TO FULLY CONNECT THE **EQUIPMENT EXCEPT GAS APPLIANCE.**



**ANY FIRE SPRINKLER IN HOODS -REFER TO CONSULTANT** 

# GAS:

TYPICAL GAS CONNECTION ON ALL GAS APPLIANCE




GAS FITTER. CHECK OPERATION OF EACH ITEM

**ALL GAS CONNECTIONS** ARE FLEXIBLE - WITH SAFETY CHAIN TO **EQUIPMENT** (BY GAS FITTER)



## 2100 MM AFFL 6mm THICK 300 | 600 | 1200 mm WIDE around at 90 6mm FIBRO GLUE BEHIND COOKING **REAR** 6mm FIBRO BACKING WITH GLUE STAINLESS STEEL FRONT, FOLDED 6mm ALL AROUND AT 90 **FOLDING DETAIL** NO SHARP EDGES **FRONT** BACKING 6mm FIBRO FIRE PROOFING WITH GLUE EXPOSED FIBRO - THIS SIDE IS FIXED TO WALL

WALL CLADDING / TILING AT



**TILING OR CLADDING 2100 mm AFFL** 

#### THIS DRAWING MUST NOT BE SCALED

THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS, DATA AND LEVEL PRIOR TO THE COMMENCEMENT OF WORK ALL FRRORS AND OMISSIONS BETWEEN THE DRAWINGS AND SPECIFICATION ARE TO BE REPORTED IMMEDIATELY.









### FORTE THE HOSPITALITY BUILDERS

**ENDA HUGHES** 0418 459646

CHOICE COOKING SCHOOL

Location: 65 HOLT STREET, SURRY HILLS NSW 2010

**ELECTRICAL, PLUMBING, GAS,** FIRE AND WALLS INSTALLATION

June 16, 2020 SCALE NOT TO SCALE (A3) 01 SP1